

Swank; SN 10/825,834; Docket 0298

STATUS OF CLAIMS

Claims 1-8 [Cancelled].

Swank; SN 10/825,834; Docket 0298

1 9. [Currently amended] An elongated rectangular card member for
2 selectively displaying photos or the like, having a central portion and two end portions,
3 each end portion comprising a quarter of ~~its~~ the length of the card member and the two
4 end portions being foldable inwardly into abutting relationship with each other so as to
5 cover the central portion of the card member;
6 the central portion being rectangular and having a securement area on each of
7 the four corners of its front surface, each securement area being rectangular and one-
8 quarter of the length and one-quarter of the width of the central portion of the card
9 member;
10 each end portion of the card being folded over the central portion of the card
11 member and being secured by gluing or the like to the two associated securement
12 areas of the central portion of the card member to form an operable photo display
13 assembly;
14 the entire photo display assembly thus formed including both the central portion
15 and the end portions of the card member being foldable both longitudinally and
16 transversely along ~~the~~ abutting edges of the four securement areas.

Swank; SN 10/825,834; Docket 0298

1 10. (Previously presented) A display assembly for selectively displaying a
2 normally hidden photo or the like, comprising:
3 a generally rectangular card member folded on parallel lines three-eighths of its
4 length from each of its ends to permit bending movements relative to the remaining one-
5 quarter length central portion of the card member;
6 the card member further being permanently folded on lines one-quarter of its
7 length from each of its ends, the thus-folded end portions being folded towards each
8 other and also towards the respective immediately adjacent one-eighth length portions
9 of the card member;
10 each thus-formed one-eighth length portion of the card member being
11 permanently secured in face-to-face engagement with the associated one-quarter
12 length end portion; and
13 the end portions and their associated one-eighth length portions being swingable
14 together along the respective bending lines by one hundred eighty degrees relative to
15 the card central portion;
16 whereby a photo or the like that is to be normally hidden may be positioned either
17 on the central card portion and its contiguous one-eighth length portions, or else on the
18 central card portion and the uncovered adjacent but non-contiguous surfaces of the
19 respective end portions.